

Formulation

Soft. Smooth. Protected. It's all in the touch. This velvety stick melts seamlessly into skin for even, comfortable coverage and reliable UVA/UVB protection. It goes on soft and lightweight, with a cushiony finish that wears beautifully. Mess-free and water-resistant; it makes application and reapplication simple anytime, anywhere.

PHASE A

PHASE TOTAL: 100.0000%

PHASE INSTRUCTIONS

No phase instructions provided.

TRADE NAME	INCI NAME	FUNCTION	W/W %
LexFeel™ 700 MB	Polyester-4	-	26.5000
LexFeel™ 21 MB	Trimethylolpropane Tricaprylate/Tricaprate	-	13.0000
LexFeel* Enhance MB	Diheptyl Succinate (and) Propylene Glycol Dibenzoate (and) Capryloyl Glycerin/Sebacic Acid Copolymer	-	15.0000
STIMU-TEX® AS	Spent Grain Wax, Butyrospermum Parkii (Shea Butter) Extract, Argania Spinosa Kernel Oil, Tocopherol	-	2.5000
WetFilm™ MB	Trimethylpentanediol/Adipic Acid/Glycerin Crosspolymer	-	2.0000
AJK-OD2046	Dibutyl Ethylhexanoyl Glutamide (and) Dibutyl Lauroyl Glutamide (and) Octyldodecanol	-	20.0000
PARSOL® 1789	Avobenzone	-	3.0000
PARSOL® HMS	Homosalate	-	7.0000
PARSOL® Shield	Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine	UV Filter	6.0000
CASID® HSA	Hydroxystearic Acid	-	5.0000

Specifications

PROCEDURE

Combine items 1 - 10 into a beaker and heat to 110°C while mixing. Remove from heat when solution is clear. Pour into suitable container at 75-80°C and allow to solidify.