

Shine Bright, Frizz Light Mask

Inolex

Formulation

This translucent frizz fighting hair mask will leave your tresses shining and smooth with the weightless conditioning of ProCondition™ 22 and Kerazyme™ MB. Apply this treatment after shampoo and conditioner, allowing it to saturate hair for at least 1 min before rinsing.

Shine Bright, Frizz Light Mask

Inolex

PHASE A

PHASE TOTAL: 100.0000%

PHASE INSTRUCTIONS

No phase instructions provided.

TRADE NAME	INCI NAME	FUNCTION	W/W %
LexFeel® Shine	Propylene Glycol Dibenzoate	Better than silicones phenyl trimethicone replacement that offers soft, non-greasy shimmer to skin and hair	0.5000
Kerazyme™ MB	Polyester-11	Emollient Conditioning Agent Slip Modifiers Hair Conditioning Agents Miscellaneous	0.5000
ProCondition™ 22	Brassicamidopropyl Dimethylamine	Active Ingredient (Non-OTC) Conditioning Agent Slip Modifiers Emulsifying agent Viscosity Modifiers Hair Conditioning Agents Emulsifier Opacifying / Pearlizing Agents Stabilizers Miscellaneous	2.0000
LexSolv™ Essential	Polyglyceryl-10 Heptanoate (and) Water (and) Glycerin	multi-tasking 100% natural solubilizer that truly works for EO-free formulating. Powered by polyglycerol technology, this ingredient is designed to solubilize with clarity, solubilize the essentials, solubilize the scent, and solubilize the benefits.	6.5000
Spectrastat™ GHL Natural	Caprylhydroxamic Acid (and) Glyceryl Heptanoate (and) Propanediol	-	1.5000
Deionized Water	Water	-	82.2500
PURAC UltraPure 901	Lactic Acid	-	0.9000
Jaguar HP-105	Hydroxypropyl Guar	-	0.1500
HEC	HydroxypHydroxyethylcellulosear	-	0.5000
Glycerin	Glycerin	-	5.0000

TRADE NAME	INCI NAME	FUNCTION	W/W %
Nepal	Fragrance	-	0.2000

Specifications

VISCOSITY

2080 - 22490 cP

PH TARGET

4.07 - 4.35

PROCEDURE

Add Water and Lactic Acid (Main Batch). Mix until uniform.

Premix Guar, Hydroxyethylcellulose, Spectrastat GHL Natural, and Glycerine and add to Main Batch while mixing with high shear. Once fully dispersed, begin heating to 80C.

Add Kerazyme MB and ProCondition 22. Continue mixing and heating until fully melted and incorporated.

Discontinue heat. When the main batch has cooled to 40C, add LexSolv Essential and LexFeel Shine.

Cool to room temperature while mixing.